

Компактный портативный анализатор SUB ASPIDA

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: axq@nt-rt.ru || сайт: <https://analox.nt-rt.ru/>

SUB by ANALOX ASPIDA

Thrives under pressure



Whether you are measuring the atmosphere in an aircraft at altitude or in a submarine under the sea, the **Sub Aspida** can take the pressure.

The Sub Aspida is a personal, portable monitor which is used to detect levels of carbon dioxide (CO₂) and oxygen (O₂) in pressurized environments.

It is **critical to use pressure compensated sensors** in these environments, otherwise it's likely that you will get false readings, exposing your team to potentially dangerous levels of gas.

Relax, let the **Sub Aspida** take the pressure.

Benefits

- The **Sub Aspida** is the only pressure corrected gas monitor on the market making it the No.1 choice for pressurized environments
- **Ideal for emergency situations** - if there is no power source to charge the unit, you can simply use AA batteries
- A **cost effective** and more accurate alternative to colorimetric tubes
- **Fits perfectly** to the operator panel of a submersible
- **Ideal for confined spaces** such as a ballast tank or cargo hold
- The man down alarm offers **additional protection for lone workers**
- Simple to use and calibrate, the O₂ sensor can be calibrated in fresh air - **no need for gas cylinders**
- High performance in both **pressurized and non pressurized environments**
- Intelligent software allows 2 users to be registered on one unit - **perfect for shift working**

Gases Detected

Oxygen (O₂), Carbon Dioxide (CO₂)

Features

- OLED (Organic Light Emitting Diode) display
- Pressure compensated CO₂ & O₂ sensors
- Rechargeable battery operated (NiMH)
- Datalogging
- Man-down alarm
- Can offer continuous monitoring or spot checking
- Audio, visual and vibration alarms
- TWA (Time Weighted Average) Alarm
- User maintainable
- Can be worn on the belt or clipped to a panel
- Pressure range of 700-1200mbara
- Maintenance reminders as standard

Why Analox?

...because different environments don't scare us... we embrace them

Hostile or dangerous environments don't bring us out in hives, **we adapt** our sensor technology to monitor some of the **toughest atmospheres on and off the planet.**

Your Challenge, **Our Passion**

SUB ASPIDA


Tech Spec

System Specification	
Operating temperature	0°C to +50°C
Operating pressure	700 to 1200 mbara
Humidity Range	0 to 99% RH
Display	High-visibility, Organic Light Emitting Diode (OLED) display
Alarm horn	95dB @ 30cm
LED indicators	1 x Green - OK, 1 x Amber - Fault, 1 x Red - Alarm
Internal data log	1 log every 30 seconds for at least 7 days of continuous use
Batteries	2 x NiMH 2100mAh AA batteries (or suitable AA type batteries)
Battery discharge time	12 hours under normal operation (Passive atmospheric monitoring, minimal user interaction, no alarms)
Battery lifespan	2 years
Battery charge time	4.5 hours (from flat)
Charge power supply rating	9 V DC - 0.55A, DC jack 5.5x12.0x2.1mm centre +ve
Calibration adapter max flow	0.5 l/min
Electronics warranty	2 years
IP rating	IP65
Dimensions	127 x 44 x 90 mm / 5 x 1.7 x 3.5 inches (LxDxW)
Weight	335g/11.8oz , O₂ 350g/12.3oz, CO₂ 335g/11.8oz

Applications

- Cargo planes flight deck
- COVID vaccine distribution
- Dry ice shipping & logistics
- Clinical trials storage & shipping
- Submarine rescue vehicles
- Submarine escape & rescue
- Submarine atmosphere monitoring
- Military aircraft
- Commercial airlines
- Hyperbaric oxygen therapy (HBOT)

Want to talk about your
application requirements?
Give us a call!



Sensor Spec

	CO ₂ Sensor	O ₂ Sensor
Sensor Type	Analox infrared MIR	Electrochemical
Range	0.01 to 50.0 mbar ppCO ₂ (0.01 to 5% at 1000 mbara)	0.1 to 2000.0 mbar ppO ₂ (0.1 to 100% O ₂ at 1000 mbara)
Accuracy (At standard temperature and pressure):	±(1% of full scale + 2% of reading)	±1% of full scale (For best performance, calibrate the Sub Aspida while on battery power only.)
Response time:	T90 <60 seconds	T90 <30 seconds
Sensor life span:	5 years	1 year (expected)

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: axq@nt-rt.ru || сайт: <https://analox.nt-rt.ru/>