

Портативный монитор SUB Mk3P

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: axq@nt-rt.ru || сайт: <https://analox.nt-rt.ru/>

SUB Mk3P

by **ANALOX**

DISSUB Decision Making Tool



Introducing the Sub Mk3P DISSUB analyzer, now with the added benefit of being **user maintainable, in country**.

In a DISSUB (Distressed Submarine) situation, senior survivors need to be equipped with the **best decision making tools** to help protect and save the lives of their crew. Analox are specialists in submarine escape and rescue analyzers and the Sub Mk3P has been a submariners No.1 choice since its release. We are now launching our upgraded version, the Sub Mk3P.

Using **proven hyperbaric partial pressure sensing**, the SubMk3P continuously measures the O₂, CO₂, pressure, temperature and humidity on board the submarine so you know when to take action. This compact, intuitive atmosphere analyzer also meets the applicable requirements of the NATO STANAG1476 : 2014 (ANEP/MNEP-86).

Benefits

- Using proven hyperbaric sensing technology, this life saving decision making tool is the only continuous gas monitor capable of meeting **NATO STANAG 1476:2014** requirements, making it the No 1 choice.
- At only 2kg and featuring a backlit display it can be transported to and used in any area of the sub even in low light conditions
- Specifically designed for DISSUB situations, the unit has a 10 day battery life
- It has been designed with **simplicity in mind**, ensuring any crew member can operate it in a DISSUB situation.
- The waterproof enclosure is now **international orange**, making it quick and easy to locate
- The system will give accurate and stable readings up to 10 bar absolute.
- The units datalogs are held on a micro SD which can be easily removed for post event analysis
- Putting you in control - the Sub Mk3P is designed to be maintained in-country, minimising downtime and reducing the total cost of ownership.
- Analox offer comprehensive training courses to ensure competence of personnel responsible for managing the maintenance of this essential kit.

Features

- Portable & lightweight (2kg)
- Robust, saltwater resistant carry case
- LCD display with backlight feature
- Measurement of O₂, CO₂, pressure, temperature & humidity
- Battery powered
- Pressure & temperature compensated
- Event datalogging via micro SD card
- Fully user maintainable

Add-ons

- 24V DC (9-36V DC) external power cable
- MODBUS RTU comms cable
- 1 year service kit
- 5 year service kit
- Return to factory servicing agreements

Applications

- Submarines
- Submarines rescue vehicles

Gases Detected

Oxygen (O₂), Carbon Dioxide (CO₂)

Your Challenge, **Our Passion**

SUB Mk3P

Tech Spec

General	
Battery power	4 x 'D' alkaline cells (Hyperbaric)
External power	24V dc (9-36V dc), <0.5A
Backup batteries	2 x LR43 alkaline manganese cells
Displays	6 x 4 character LCD, with symbols and LED backlights.
Operating temperature	-5 to 50°C
Storage temperature	-5 to 50°C
Operating pressure	0.7 to 10barA
Operating humidity	0 to 100%RH (Non-condensing)
Standards/ compliance	NATO STANAG 1476:2014 ANEP/MNEP 85 & 86 (2014) DEF STAN 59-411:2014 (EMC) IACs E10:2014 (MarED) type tested IP65 CE marked (RoHS)
Dimensions (W, H, D)	240mm x 198mm x 127mm
Weight	2.2kg with batteries installed

Oxygen (O ₂) sensor specification	
Range	0 to 2000mbar pO ₂
Accuracy	±10mbar (0 to 300mbar pO ₂) ±50mbar (300 to 2000mbar pO ₂)
Response time (t ₉₀)	20s
Detection mode	Electro-chemical
Shelf life (in sealed packaging)	6 months
Expected life (in air)	12 months

Carbon dioxide (CO ₂) sensor specification	
Range	0 to 100mbar pCO ₂
Accuracy	±10mbar
Response time (t ₉₀)	60s
Detection mode	Infrared
Expected life	5 years

Pressure sensor specification	
Range	0.7 to 10barA (-3 to 90MSW or -10 to 300FSW)
Accuracy (including annual drift)	-0.07bar +0.04bar
Response time (t ₉₀)	<1s
Detection mode	Piezoresistive
Expected life	>12 months (Replaced as a part of the O ₂ sensor)

Temperature and humidity sensor specification	
Temperature range	-5 to 50°C
Accuracy	±1°C
Response time (t ₆₃)	30s
Humidity range	0 to 100%RH (Non-condensing)
Accuracy	±10%RH
Response time (t ₆₃)	8s
Detection mode	Digital IC, capacitive RH and band gap temperature
Expected life	5 years

Get in contact today,
be DISSUB ready

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: axq@nt-rt.ru || сайт: <https://analox.nt-rt.ru/>